




अखिल भारतीय तकनीकी शिक्षा परिषद् ALL INDIA COUNCIL FOR TECHNICAL EDUCATION

(भारत सरकार का सांविधिक निकाय) (A statutory body of the Govt. of India)

F. No. 740-89-323(E)/ET/98

To,
The Principal Secretary,
Higher & Technical Education and Employment Development,
Govt. of Maharashtra,
Mantralaya, Mumbai - 400 032



May 2, 2008

Sub: Extension of approval to **MAHARASHTRA ACADEMY OF ENGINEERING & EDUCATIONAL RESEARCH, MAHARASHTRA ACADEMY OF ENGINEERING, KELGAON, KHED, ALANDI, PUNE - 412 105.**

Sir,

As per the Regulations notified by the Council vide F.No. 37-3/Legal/2006 dated 14th September 2006 and norms, standards, procedures and conditions prescribed by the Council from time to time and based on the recommendations of Appraisal Committee / Expert Committee, I am directed to convey the extension of approval of the Council to **MAHARASHTRA ACADEMY OF ENGINEERING & EDUCATIONAL RESEARCH, MAHARASHTRA ACADEMY OF ENGINEERING, KELGAON, KHED, ALANDI, PUNE - 412 105** for conduct of the following courses with the intake indicated below:

Name of the Course(s)	Existing Intake	Revised Intake	Period of approval
COMPUTER ENGINEERING	120	120 ✓	2008-11*
ELECTRONICS ENGINEERING	60	60 ✓	
ELECTRONICS & TELE COMM. ENGG.	60	60 ✓	
CHEMICAL ENGINEERING	60	60 ✓	
INFORMATION TECHNOLOGY	60	60 ✓	
MECHANICAL ENGINEERING	60	60 ✓	
M.B.A.	60	60 ✓	
MCA	60	60 ✓	
Total	540	540	

* The compliance Report along with requisite processing fee is required to be submitted every year by 31st August irrespective of the period of approval.

The above approval is subject to rectification of the following observations / deficiencies / specific conditions by 31st August 2008.

> Faculty :

- ❖ Faculty with proper cadre ratio, requisite qualifications and experience to be appointed in all the disciplines as per AICTE norms.
- ❖ AICTE pay scales to be implemented for all faculty members.
- ❖ The faculty shortfall in various branches is as follows:

Course (s)	Faculty required	Faculty available	Shortfall Number
M.B.A.	08	03	05
BASIC SCIENCE & HUM.	28	27	01

> Others :

- ❖ The deficiencies communicated in the last approval letter are not fully complied with.
- ❖ Infrastructural facilities in terms of Built up Area/equipments /machinery, faculty, library etc to made available as per AICTE norms/syllabus.

GA
70-M