4.4.2 – Procedures and policies for maintaining and utilizing physical, academic and support facilities - laboratory, library, sports complex, computers, classrooms etc. (maximum 500 words) (information to be available in institutional Website)

MITAOE adopts standard established systems and procedures for maintaining the physical, academic and support facilities for laboratory, library, sports complex, computers, and classrooms etc. which are mentioned in the "Quality System" of every department.

Every department is allocated separate budget for repairs and maintenance. In case of IT infrastructure related equipment, we have an in-house technical team, which takes care of all technical issues. In every Laboratory, Lab Assistants are also trained for primary level error detection. MITAOE Lab assistant are proficient in testing and resolving basic faults. In case, the fault does not get resolved at their level it is reported to the System Department. Systems Department's technical team solves the problem. System department retains a few regular components/devices in stock for the emergency replacements. If, the fault is related to Mother Board – Component level or in case any functional board needs to be replaced, the equipment is sent for repairs to experts outside the campus. IT Network Infrastructure is maintained by the Systems Department itself. MITAOE has Dell NSA 4600 Sonic firewall, and Cisco Based Switches and Cisco based Access points WIFI Controllers in the Network.

MITAOE has a Sports Ground, indoor games facility and a well-equipped Gym which is maintained and upgraded by the Sports Director. Central Library has ample number of books and online resources, whicharecontinuously updated in terms of latest books, journals, e-resources and digital library. Central library follow the standard procedure as per the Quality system manual. Central Library equipment's and premises are cleaned and maintained by the library peons and housekeeping staff on a daily basis, apart from it, regular pest control is also conducted throughout the campus on regular intervals.

The classroom schedule and assignment of the classroom is decided by the time table committee, headed by the Dean Academics and Director. In addition the school deans and timetable committee decided the allocation of the laboratories according to necessity in accordance to the time table in such a manner that will ensure maximum utilization without any problems. These classroom are well kept by the housekeeping department and technical support in terms of projector's etc. is given by systems department. Laboratories are cleaned by the school Peons and Housekeeping staff and equipment's are well maintained by the Lab Assistance through regular check-up and upgrade.

Summary of IT Infrastructure

Sl. No.	Name of Particulars	Period From	Period To
		29 -08-2019	28-11-2019
		01-11-2019	31-01-2020
01.	Internet Lease Line 250 Mbps Link	01-12-2019	29-02-2020
		01-03-2020	31-05-2020
		01-05-2020	31-07-2020
		14-06-2019	18-06-2019
02	Complaint Register (Sample	22-08-2019	10-09-2019
02	Complaints)	19-09-2019	25-09-2019
		24-07-2019	25-07-2019

					0-				
		ie: / /20	MON TUE	WHEE HE	-	Date: / /20	,		
9.		Name of person			0	compeniate Action	Taken Action	Y/N	ed Bigs
M	-	45				0		19/2 7	le , ada
1	14/6/19	thatash marab	hib.	1033		working property	Checked setting.	Yes	3.
_	0.2					ALEMON FOR	Marie Company		P-19
2	1416/19	55K	Internet	1023	1	Jechnieur Suppor	- an Support.	- Y	Chan
		1 Had have been		and the same of th	+				
3	17/6/19	Sachin Shind	mech.	888969631		haptop Hand elist	Fastare Laptop	Le.	Jan 2
-						717 104	Нр. Даргор.	, U	51
4	17/6/19	Him Xlidam	Acct.	1040	C	ime Hot change	Checlad, but		
					a	womanicaly.	Not showing Jose	under Objurv	5
5	17/6/19	Yogosh Bhagat	Acct.	1040	B	dobe Acrobat	Store Post	-dion	- LX
					m.s	- office activ-	Activated ms-	Yes.	grap.
-		-			1-a	tion Issue.	Reinstau Ab. wnite		10
6	13/6/19	. ۲ د د	Internetce	1023	w	and Technical	provided Tech.	48/2	75 J
						Support.	Serve Date		
-				\$ 60 m	-		management.		Ç.
_					0-		0	2000	_ =

Complaint Register Systems Department

)—				2	Date: / /20		MION TUE WES THE	FRI SAT SUN
				n tended	Action taken	Dated	Signe of	Remanu
	Date: /	/20	MON THE WITH THE EDS NAT THE	29	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Time	complainer	Sunstation
SR	1 Date &	Name of Faculty		M. q.	New smps is	24/7/99		Delizienie
No	Time	Staff/ student.	pescription of the	Amer	Installed in the	9.00	Cas Cas	2 los
-	34		Francon.	openi.	CPU system &	Am.		2.1
	24/7/19	Mos shitel khazer	Replacement of	4.	eneared.	E GANGE	TO HELD	77.72
	8.30 Am	Meon Engg.	facily smps.	Ma	Table 1			7.76
		The second of th	of computer	m.g. Agma	Access allowed to	27/710		
		Par P 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AMISTALL PROPERTY OF	-16H 21 -	the IP. Address		Nestel.	est al
	24/7/19	Nileon Louhande	COM NOT ACCESS the	Trans.		9.30 C		Aor
	O.AM			estate		1997	- 1	1997
			Facebook website		5 33m3/2			
			446 84 40	m-G. Asma		25/7/19		
	25/7/19	M O	43 - 23 a C , 5 - 4 C C		zecus not fixed proposity	23/1119	0 .1	
		mr. Phulchand	HP-1020 Printer		They properly	8.50	Patte	
	8-45- AM	Godhade - HR	is not werking.		Installed the	AM.		
		at a cold a service			cartiage correctly			
			sc sc	5	/-			
	25/7/19	Mrs. moongare		M.g. Asmes	Cartiagetone	25/7/19	2 - 1	
-	9.00 Am	Madam HR.	Comon 4820 D		and the second second	9.15	2	
	ell mar	The state of the s	printer- gives faint ?		changed the	Am.		
	D. C. C. C. C. C.	Chi-state of the state of the s	printouts 4 tokens		cartriage &	-		
-	- 127	1	copies.		resolved the			T-1
			100	Principal	problem.			
					201	- W - W		
1					Tested the printer.	25/7/19	0	1
13		Mrs. Mondula	HP Neture	about the	Removed	0,30	7	7
	10 Am.	Admission offices	printer is not working -	market and	(Moretnan 12 yours)	Am.	11/19	
1		. her	proposty		HP 1020 Printer		25	
			1		included butter			
1	1 / 1	Promote Committee		120 12 12 12	installed on its place			
1	5/7/19	Part 0 0 - 1				17(19)	Das	
1		Prof R. P. Borgie	Dell-3542 Loptop 1	1	partition was having 3	30m	ANT THE	
-14	12.00	ENTC ,	Os is not booting		KANSPOTOYS POWEDEN	-	Mark	
		1(property	1	Formatting & Os install	atter- Ph	and the	9
		- 0	and and the	of the local division in the local division	the second secon	12		- 10

	Date:	/ /20	MON TUE WED	THU FRI SAT SUN	Date: / /20		E WED THU FRI	
Sil	Date	Name of Person	Dept.	Contact No.	Complaint problem		- Completion of the Completion	319
	e18/19 61819	Shuitesh Gurar PRAMOD P. KOTHMIET	FATC	1240	Computer Displa	7		1
3 2	19 18/19	Mr. Bhoskors.	eivid	Janes Galacon	- Hive Not u	por . Reconfigured	V	2Bo
	- 11-	Venjectosh Joorad.	Cluit	Service States	-king one cru	is processor		000
6 0	4/09/19	Dr. Anast B. Kanagase	Chemical	9082439051	Not working. Hazd disk of laptop not	accognize legislan 420.	1/4	State State
		1 Paloni of wall			Intercute Not Work	100		7
-		Brusher Workinker Sitaram Surgasanti	(343)	997592620	comp not voorte	Switch, and	Yell	By/
9 0	99/09/19	Minhil snoohetao	(147)	902/33/664	Internate not work	Welles Some		MAL
10 :	والوهاك	Shailesh Guray	EMC	1240	furty Not worki	ng Install New	Y	Jn.
11 0	गीलीध	Ramesh Ghuge	Mech	A selection of the con-	Printer Not w	or. Reinstau Printer Drivers	Y	F
12 6	9109/19	Ramesh Ghuge	mech	New 2000	wife Not wo	connect to Switch	4	2,0
13 10	109/19	Sandip B. Nikam	515.	9922910393	printed confectivity			Fil kom
14 4	0/9/14	Mes Carmed predom	-85-	1045	Computer Slow		4	Rend
15 1	olalig	Scanjiv Ranjanton	ENTC	(090.	Computer Mot Sto	changer Some Serving art Boos Resea		Ran

Complaint Register IT system department

-	Date	/ /20	MON TUE W	ED THU FRI SAT SUN	Date: / /20	TT	TUE WED THU FF	
SE		Name of the		contact	Complain proble	m Taken Action	Solved.	Sign
1	19/09/19	Vikas Singh	T-8 P;	9922684728	in Printer	Removed jum	4	Fing
-	0 6%	Lower Some Estuer	pristro	2011 25 p		babbers		
2	19/09/19	Mung se madame	HR	10(9	Printerout Not	Removed Jam	,	Pate
	2319119	wifi connection problem	civil	-	Comming	Papper from	1	Har
3	2019119	Wifi Connection problem	civil		Nocomne Ution	Reconnect LAN.	4	V.
1	24/9/19	Nandini Phulpagar	sues	1214	C Diffue space fol	1 Shifted amount drive	y	18
5	24/09/19	Rajeshi V. Kak tikar.	ph of	+ tonul	Internet roe working.	Achd If address	Y	No blue
		registate V Note Chair	Lubrary	1033WHT-13	on · Desklop · U	in server option.	/ I I	Of St. 7
6	2419119	· Danicer Runjanton	ENTC	1020	Computer Mod Starting	mother board Not working	Meed to be	FO
7	24/09/19	Wiraj Nadav	Carro	88578825	LAN port is	Meed Repaire.	Repaired.	Rail
0	25/09/19	Sonawane Avinceh		8796951215	Printer not working	Pagper Jam Essye	4	Olmer
	25/09/19	Gurar . S.L.		8017610294	PC Dead	Reassambly computer	Υ	A
	eslelie	Comment of the Park of the Par	-	2067610294	windows Not	Try to activate by	8.	14
VA P	1010	mail of the man of the	ESt'c.	Lanc Inc	Achivated.	key and exack. but N. Achivated	done.	To lie
Many F	(B)	BAR ITT WHITE AND	1	10000000		Neet to Reinstalles	50 000	

Indoor/outdoor games and Gym



KABBADI



BELL GAME



BASKETBALL



FOOTBALL





GYMNASIUM

Summary of Library Resources

Statistics of library resources

Sl.No.	Particulars	
01	Total no. of Books	Title-11090 Volume-48517
02	No. of Periodicals	Magazine - 32 Journals -85
03	E-books	6502
04	CD-ROM	5281
05	Project Reports	1088

Library Books Purchased for the year 2019-2020

Sr. No.	Branch	PO No.	Bill No.
1	Computer	76/19-20	76211, 76252, 76592, 76597, 76640, 76738, 76897, 77141
		80/19-20	76215
2	Electronics	70/19-20	76197, 76232, 76263, 76327, 76634, 76789, 76883, 76997
3	Е&Тс	70/19-20	76198, 76233, 76264, 76323, 76594, 76969, 76735, 76884
4	Chemical	71/19-20	76202, 76230, 76255, 76326, 76627
		74/19-20	76209, 76250, 76329, 76591, 76595, 76638, 76736, 76885, 76895, 76995
5	Mechanical	78/19-20	76213, 76253
		122/19-20	76328, 76376, 76739
		123/19-20	76377, 76599
6	IT	77/19-20	76212, 76598
U	11	81/19-20	76216
7	Civil	75/19-20	76210, 76214, 76251, 76330, 76556, 76596, 76639, 76737, 76886, 76896, 77140, 78076
8	Humanity &Engg. Sc. 69/19-20		76203, 76247, 76254, 76590, 76593, 76626, 76794, 76996
9	Design	94/19-20	76217
10	Cash		5479

Library e-resources for the year 2019-2020

S1. No.	Name of Particulars	Period From	Period To
01.	IEEE ASPP & POP ONLINE	01-Jan-2020	31-Dec-2020
02	DELNET Membership	22-Oct-2019	21-Oct-2020

Print journals purchased for the year 2019-2020

Sr. No.	Name of Particulars	PO No./Outward no.	Period
1	I-manager Publications	PO No.284/2019-20	Jan to Dec 2020
2	Serials Publications	187/19-20 dated 01/10/2019	Jan to Dec 2020
3	Research India Publications	PO No. 188/19-20 dated 07/09/2019	Jan to Dec 2020
4	IETE	MITAOE/LIB/SUB- 01/2020/1290	Jan to Dec 2020
5	Springer Nature India Pvt Ltd	PO No.285/19-20 dated 23/01/2020	Jan to Dec 2020
6	SRD Solutions	PO No. 286/19-20 dated 23/01/2020	Jan to Dec 2020


House Keeping and Pest Control

Sl. No.	Name of Particulars	Period From	Period To
01.	Pacific Integrated Services	01-Apr-2019	31-Mar-2020
02	Bombay Pest Control Services	01-Apr-2019	31-Mar-2020

Sr. Neo. Date	Description with Refu	. Oth	letected	Repairing details	Repairingh	Boll No &	Remark
11/01/2019	DPCM Kit	100	200	1 .	0	"Changes"	
11/01/2019	ENTERCONNI Chele	01	Set	Xmer heary, 2812	Replangue	, ,	4.0
3.30			24	Mans Cond prop peroble	Xines) &	In house	An
39	Ocm tests	-	- Colinson	1	Sharfeel G.		din
14/01/2019	PCM Kit ENTERCOMM STILLY	-	Shateur	Mans cord plate	-95	7. 6	M
200	EMICICANIMI STIMIG	01	Sweet can	proble	Shirled Co		or
· m	December 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	MAS - 23	A TO BE A SECOND CO.		0.011-203		-
no.	line Coding hist	01	Dead 8ct	- X'mer healing 2812	20 1.00	7.1	
16/01/2019	Line Coding hat LETTC COMM 20/46/08			20 7414, 4017	- one in to	In house	8 m
	100 10 100 1 0 10 Hollo 1	ENO.	19 = 20	3		-	The state of the s
41	- Patch Cond & Brick Crock	nc	6-0-	Recall	20 1.0 0	21	N.
12/01/2019	Patch and & onch crows	-		200000	-dument 15.	in house	an.
-2-	EDMA WIN -			mle 1 0cc	10		51
42	ENTCKOMM 28 48-6	01	De2 849	with faults	200	'de house	Od
25/01/2019	C1111 20 140 B			comeety directifion	Shoiled to		Dan
-	D - D - A A A A		0				
31/01/2019	Freq. Resp. & Opt Rx.	01	Ka port-is	IC The faulty	0000	In house	atom
	EMICINEL 1:218		Ra portis	now it's ors	Shartech la		
all her				The state of the s			
26/3/2019	Antenna Lit Steppen switch	01	Not work	proper connecting &	25	Inhouse	flat-
26/3/2019		3	propoding	remain of itworks or	Shaled Gr		-
	9 1 1 1 1						
45	Sampling kit	(10	- Ik. missin	By checkin & service	190	In house	Sie.
	comm/19/45/10		43631	By checking sommit	Shafesh Cr		
1	- Sharker Com		1				
	THE AND AND	-					
		300	-	The second secon		-	

Maintenance record of Laboratories

2000			85			To a later of
30	Home of the Student C	1055	Comp Mo]	Suggestion)	Maring	
120	Proceeding (Stoll D) Pro Mayura Kilkarni	Assti Prof	H2/05/15/03	to check the kit whether it is working or notworking.	Dote 3112200	Ogencel the kit
121	Mrs. Mayura Kulkani	Assk pros	17 H4/05/15/11 27 H4/04/21/01 35/14/05/15/04	Forther the Kit working or not working	Quitado	and required voltage working well fested.
		Apr o	JANO.	DEAN School of Computer Engineering Jechnology MIT Academy of Engineering Alandi (D.), Pune-412 105.		Phylip Provs



Maintenance record of Laboratories



Director, Head of Institute

IQAC, (Chairman)

DIRECTOR
MIT Academy of Engineering
Alandi (D), Pune-412105.